




GAS



## TP90 ... TP1080 **TP...VS** TYPE



# TP... VS TYPE TP90 ... TP1080











GAS

| Type          | Min. modulation output kW | Min. application output kW | Max output kW |
|---------------|---------------------------|----------------------------|---------------|
| <b>TP90</b>   | 320                       | 1.610                      | 2.300         |
| <b>TP91</b>   | 480                       | 1.869                      | 2.670         |
| <b>TP92</b>   | 480                       | 2.135                      | 3.050         |
| <b>TP93</b>   | 550                       | 2.870                      | 4.100         |
| <b>TP515</b>  | 770                       | 3.640                      | 5.200         |
| <b>TP525</b>  | 2.000                     | 6.825                      | 9.750         |
| <b>TP1030</b> | 2.500                     | 9.310                      | 13.300        |
| <b>TP1080</b> | 3.500                     | 13.300                     | 19.000        |

## TECHNICAL DETAILS

| Type          | Model                  | Power kW |        | Auxiliary electrical power supply | Motor electrical power supply | Gas connections          |
|---------------|------------------------|----------|--------|-----------------------------------|-------------------------------|--------------------------|
|               |                        | min.     | max.   |                                   |                               | Rp                       |
| <b>TP90</b>   | M-.xx.S.xx.VS.x.xxx.xx | 320      | 2.300  | 230 V 1N AC 50 Hz                 | 400 V 3 AC 50 Hz              | 2" - DN65 - DN80 - DN100 |
| <b>TP91</b>   | M-.xx.S.xx.VS.x.xxx.xx | 480      | 2.670  | 230 V 1N AC 50 Hz                 | 400 V 3 AC 50 Hz              | 2" - DN65 - DN80 - DN100 |
| <b>TP92</b>   | M-.xx.S.xx.VS.x.xxx.xx | 480      | 3.050  | 230 V 1N AC 50 Hz                 | 400 V 3 AC 50 Hz              | 2" - DN65 - DN80 - DN100 |
| <b>TP93</b>   | M-.xx.S.xx.VS.x.xxx.xx | 550      | 4.100  | 230 V 1N AC 50 Hz                 | 400 V 3 AC 50 Hz              | 2" - DN65 - DN80 - DN100 |
| <b>TP515</b>  | M-.xx.S.xx.VS.x.xxx.xx | 770      | 5.200  | 230 V 1N AC 50 Hz                 | 400 V 3 AC 50 Hz              | 2" - DN65 - DN80 - DN100 |
| <b>TP525</b>  | M-.xx.S.xx.VS.x.xxx.xx | 2.000    | 9.750  | 230 V 1N AC 50 Hz                 | 400 V 3 AC 50 Hz              | DN65 - DN80 - DN100      |
| <b>TP1030</b> | M-.xx.S.xx.VS.x.xxx.xx | 2.500    | 13.300 | 230 V 1N AC 50 Hz                 | 400 V 3 AC 50 Hz              | DN80 - DN100 - DN125     |
| <b>TP1080</b> | M-.xx.S.xx.VS.x.xxx.xx | 3.500    | 19.000 | 230 V 1N AC 50 Hz                 | 400 V 3 AC 50 Hz              | DN100 - DN125            |

**TP90 VS PR-MD****TP91 VS PR-MD****TP92 VS PR-MD****TP93 VS PR-MD****TP515 VS PR-MD****TP525 VS PR-MD****TP1030 VS PR-MD****TP1080 VS PR-MD**